

University of Groningen

Erratum to: Diminished adrenal sensitivity to endogenous and exogenous adrenocorticotrophic hormone in critical illness

de Jong, Margriet F. C.; Molenaar, Nienke; Beishuizen, Albertus; Groeneveld, A. B. Johan

Published in:
Critical Care

DOI:
[10.1186/s13054-015-1015-5](https://doi.org/10.1186/s13054-015-1015-5)

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version
Publisher's PDF, also known as Version of record

Publication date:
2015

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

de Jong, M. F. C., Molenaar, N., Beishuizen, A., & Groeneveld, A. B. J. (2015). Erratum to: Diminished adrenal sensitivity to endogenous and exogenous adrenocorticotrophic hormone in critical illness: a prospective cohort study (vol 19, 1, 2015). *Critical Care*, 19, [313]. <https://doi.org/10.1186/s13054-015-1015-5>

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

ERRATUM

Open Access



Erratum to: Diminished adrenal sensitivity to endogenous and exogenous adrenocorticotrophic hormone in critical illness: a prospective cohort study

Margriet FC de Jong^{1*}, Nienke Molenaar², Albertus Beishuizen^{3,4} and AB Johan Groeneveld⁵

Unfortunately, the original version of this article [1] contained an error. Table Two (Table 1 here) was included incorrectly. The correct Table Two (Table 1 here) can be found below:

* Correspondence: mfc.dejong@gmail.com

¹Department of Nephrology, VU University Medical Centre, De Boelelaan 1117, Amsterdam 1081HV, The Netherlands

Full list of author information is available at the end of the article

Table 1 ACTH Test 1 and 2 classified according to groups of Δ cortisol $<$, \geq 250 nmol/L

	Test 1 $\Delta < 250$ nmol/L n=17	Test 1 $\Delta \geq 250$ nmol/L n=42	Test 2 $\Delta < 250$ nmol/L n=14	Test 2 $\Delta \geq 250$ nmol/L n=45	P Δ cortisol, time, interaction
ACTH, pmol/L	3.1 (1.1–18.0)	1.5 (1.1–15.0)	6.0 (1.1–14.0)	3.8 (1.0–8.9)	0.001, 0.025, 0.72
Baseline cortisol, nmol/L	470 (200–1355)	430 (75–2670)	655 (335–1890)	495 (35–2670)	0.021, 0.12, 0.30
Baseline cortisol/ACTH, nmol/pmol	148 (36–250)	238 (14–2054)	109 (48–1718)	126 (35–2054)	0.029, 0.16, 0.14
Baseline free cortisol, nmol/L	77 (63–357) (n=9)	86 (38–256) (n=14)	154 (114–252) (n=6)	75 (4–151) (n=20)	0.001, 0.91, 0.19
Baseline free cortisol/ACTH, nmol/pmol	22 (9–38)	39 (16–89)	26 (11–43)	17 (4–35)	0.042, 0.10, <0.001
Δ cortisol, nmol/L	140 (–50–245)	388 (260–4015)	177 (–80–230)	425 (255–965)	n.a., 0.45, 0.093
Δ free cortisol, nmol/L	59 (–71–124)	151 (74–678)	40 (–34–99)	133 (32–233)	<0.001 , 0.15, 0.16
CBG, mg/L	23 (6–43)	29 (13–63)	39 (4–60)	41 (21–65)	0.060, <0.001 , 0.90
Albumin, g/L	13 (6–32)	17 (6–24)	16 (12–28)	20 (8–32)	0.25, <0.001 , 0.89
Days from admission - test	1 (0–50)	3 (0–44)	25 (9–49)	20 (9–83)	0.57*, 0.15*
Days between tests	n.a.	n.a.	18 (8–34)	16 (8–43)	0.41*
Days after stop hydrocortisone	n.a.	n.a.	7 (5–12)	7 (5–14)	0.75*

Median (range); ACTH: adrenocorticotrophic hormone, CBG: cortisol binding globulin. *Mann–Whitney U test, otherwise generalized estimating equations; n.a.: not applicable

Author details

¹Department of Nephrology, VU University Medical Centre, De Boelelaan 1117, Amsterdam 1081HV, The Netherlands. ²Department of Surgery, University Medical Centre Groningen, Groningen, The Netherlands. ³Department of Intensive Care, Medical Spectrum Twente, Enschede, The Netherlands. ⁴Department of Intensive Care, VU University Medical Centre, Amsterdam, The Netherlands. ⁵Department of Intensive Care, Erasmus Medical Centre, Rotterdam, The Netherlands.

Published online: 04 September 2015

Reference

- de Jong MF, Molenaar N, Beishuizen A, Groeneveld AB. Diminished adrenal sensitivity to endogenous and exogenous adrenocorticotrophic hormone in critical illness: a prospective cohort study. *Critical Care*. 2015;19:1.

Submit your next manuscript to BioMed Central and take full advantage of:

- Convenient online submission
- Thorough peer review
- No space constraints or color figure charges
- Immediate publication on acceptance
- Inclusion in PubMed, CAS, Scopus and Google Scholar
- Research which is freely available for redistribution

Submit your manuscript at
www.biomedcentral.com/submit

